

MYTE


Lifting Equipment




**Manufactured to
EN1677 Specifications**

Products & Dimensions


Connecting Link




Oblong Masterlink




Master Sub Assembly (3 & 4 Leg)






Clevis Self Locking Hook



For Chain Size	Dimensions				Weight
	B	C	D	F	
[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
7 / 8	107.0	26.0	32.0	18.5	0.8
10	137.0	28.0	41.0	22.0	1.3
13	166.0	33.0	49.0	28.5	2.9
16	187.0	39.0	59.0	32.0	3.9
20	225.0	59.0	82.0	47.0	8.3
22	270.0	72.5	82.0	52.5	11.2
26	310.5	75.0	110.0	60.0	18.5

Manufactured to EN1677-3 Specifications

Eye Self Locking Hook



For Chain Size	Dimensions						Weight
	A	B	C	D	E	F	
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
7 / 8	25.0	128.0	26.0	33.0	12.0	18.5	0.8
10	32.0	157.0	28.0	41.0	16.0	23.0	1.3
13	40.0	191.0	35.0	49.0	18.0	29.0	2.3
16	49.0	230.0	38.0	58.0	25.0	33.0	4.0
20	67.0	268.0	62.0	71.0	27.0	52.0	7.5
22	69.0	315.0	70.0	85.0	29.5	52.5	10.0
26	80.0	363.0	75.0	110.0	34.0	60.0	18.0

Manufactured to EN1677-3 Specifications


Clevis Sling Hook c/w Latch



For Chain Size	Dimensions				Weight
	B	C	D	F	
[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
7 / 8	84.0	34.0	21.0	18.0	0.5
10	103.0	34.0	27.0	22.0	0.9
13	124.0	50.0	42.0	29.0	2.0
16	143.0	60.0	46.0	36.0	3.6
20	174.0	62.0	49.0	44.0	6.0
22	195.0	71.0	65.0	51.0	10.0

Manufactured to EN1677-2 Specifications


Eye Sling Hook c/w Latch



For Chain Size	Dimensions						Weight
	A	B	C	D	E	F	
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
7 / 8	25.0	95.0	26.0	32.5	13.0	18.0	0.5
10	37.0	114.0	37.0	33.0	17.0	22.0	0.9
13	43.0	148.0	47.0	47.0	21.0	29.0	1.8
16	49.0	181.0	55.0	50.0	23.0	35.0	3.4
20	60.0	215.0	60.0	55.0	28.0	44.0	5.2
22	60.0	240.0	77.0	67.0	32.0	49.0	9.4
26	62.0	275.0	85.0	97.0	35.0	60.0	13.5
32	67.0	350.0	91.0	120.0	38.0	65.0	19.5

Manufactured to EN1677-3 Specifications


Eye Type Foundry Hook



For Chain Size	Dimensions						Weight
	A	B	C	D	E	F	
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
7 / 8	18.0	119.0	33.0	61.0	12.0	25.0	0.7
10	21.0	144.0	38.0	74.0	14.0	33.5	1.3
13	27.0	170.0	48.0	84.0	19.0	39.0	2.8
16	32.0	200.0	53.0	99.0	23.0	46.0	4.9
20	38.0	175.0	65.0	110.0	26.0	57.0	10.0
22	43.0	253.0	68.0	120.0	30.0	69.0	11.5

Manufactured to EN1677-2 Specifications

Eye Type Grab Hook



For Chain Size	Dimensions				Weight
	A	B	D	E	
[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
7 / 8	17.0	57.5	9.0	10.0	0.3
10	20.0	78.0	12.0	15.0	0.6
13	26.0	97.5	14.5	17.0	1.2
16	30.0	103.0	17.5	18.0	2.4
20	37.0	137.0	21.0	24.0	4.8
22	43.0	166.0	25.0	26.0	6.2

Manufactured to EN1677-2 Specifications